CRAIN

GO GROOVE IT!





CATALOG 2025



in place, and a masonry blade to undercut hearths. A diamond blade (No. 822) is available for undercutting tile and stone. Features a more powerful 13 AMP motor, dust control, threaded rod height adjustment that won't slip, and rugged aluminum ratchet handle. Undercuts most everywhere including inside corners. Volts: 120 - AMPs: 13.

Order No. Description Weight Heavy-Duty Undercut Saw 21 lb. 821 Carbide-Tipped Blade 11 oz. 836 837 Carbide-Tipped Blade 11 oz. **Dust Cover** 7 oz.



Pivoting Ratchet Handle



HANDLE TILTS BACK AND LOCKS SOLID

ADJUSTMENT

AND MASONRY BLADES

No. 822 Diamond: Available for cutting stone **Tile & Stone**

TOP KNOB - SET HEIGHT

SIDE KNOB - LOCK HEIGHT

No. 805 Masonry: Dry-cut composition blade **Masonry**









other blades with the saw. Order No. Description

Toe-Kick Saw



Volts Amps.

No. 575 Multi-Undercut Saw

at 1/8" increments.

detailed instructions. Order No. Description

575 Multi-Undercut Saw 556 Carbide Blade (36 tooth)

Corners

No. 777 Toe-Kick Saw

This improved saw has a hinged depth adjustment plate

and adjustment arm with five settings for common underlayment thicknesses including 1/4", 3/8", 1/2", 5/8", or 3/4".

Cuts flush to the inner wall of the cabinet to remove old

underlayment. The saw includes a clutch mechanism that

may disengage to reduce kickback. Comes with No. 787

3 3/8" Carbide-Tipped Blade for wood cutting. The No.

789 Toe-Kick Saw Diamond Blade is sold separately for

cutting tile or grout to a fixed depth of 3/8". Do not use any

This versatile saw undercuts along walls, door jambs, under toe spaces, and will also undercut inside corners. The height of cut is easily adjustable from flush to one inch above the floor. The large, flat base prevents tipping and assures accurate, level cutting. The angled depth gauge allows undercutting at a "straight-on" or a 45° angle. The visual scale provides precision depth control

Each saw comes with a 36-tooth No. 556 Carbide Blade. The blade is bell-shaped for added rigidity and should not be used on any other saw. Also comes with custom molded carrying case, a hex key for blade removal, and

Volts Amps. Weight

Toe-Spaces

6 oz.

Weight

2 oz.

13.7 lb.

Depth Control



Specialty Saws

CIRAIIN Power Stretchers No. 520 Swivel-Lock Stretcher 60° of swivel with 5 lock points!

The Swivel-Lock Stretcher gives you the benefits of both straight and swivel heads. The head has 60° of free swivel for patterned carpet. Depress the built-in lock pin, and you can lock the swivel in 5 convenient positions. Lock in the straight position for square stretching, or at 15° for most angle stretching. There's even a 30° setting for extreme angles found in "L" shaped living/dining rooms. Also features a stretch lock button for partial stretches. Pin depth adjustment bar allows variable pin depth penetration for different carpet thicknesses. Adjusts with two screws in

the pin plate. Comes with Lever Extension Tube and Folding Tail Block. Sold in double case model only. Order No. Description 520 1520-Z Swivel-Lock Stretcher 59 lbs. Swivel-Lock Head ONLY 12 lbs.

el-Lock Head



Swivels parallel to wall on angle stretches.

Nos. 499 and 500 Power Stretchers

Our fixed head stretcher has the features that you

would expect in a more expensive power stretcher. Comes complete with push-button stretch lock, Auto-Lok tube, 3 extension tube sections, 1 transfer tube

section, folding tail block, and your choice of cases (see next page). Adjusts from 37" to 23 ft. and can be lengthened by adding additional extension tubes (No. 502). The No. 500 has an adjusting knob on the top of the driving head with a visual pin depth setting gauge.

Just set the dial to the desired pin depth and you're

ready to stretch. No screws or screwdrivers required.

Description

Double Case Stretcher

Single Case Stretcher

Swivel-Lock Head

Stretch

Folding

Tail Block



Smooth

Extension


- Folds for corners
- Locks for posts

Stretch

Lock

Folding Tail Block

Spans 20" flat



Lever Extension Tube

No. 499 No. 500

59 lbs. 53 lbs.



Visual Pin Depth Knob (Nos. 499 & 500 ONLY!)

Cases



kicking Platform

Helpful Cases







No. 517 - 5'

& 7,722,012 B2

No. 516 - 3'



Page 4

No. 499 Double Case Stretcher

Our double case design includes a head case with wheels and a tube case that hooks onto the head case for easy transport. The cases are easily split apart for carrying. Both cases are durably constructed and feature recessed latches and handles. The double case set holds all the stretcher components for the No. 499 or 520 shown on the previous page.

Cases and components also sold separately. No. 498E Empty Tube Case holds an Auto-Lok Tube and 3 Extension Tubes. No. 499E Empty Combo Cases hold a Crain Power Stretcher, Auto-Lok Tube, transfer tube, and up to 5 Extension Tubes. Also hold Roberts #10-239.

Order No.	Description	Wei	ght
499	Double Case Stretcher	59	lbs.
497	Case w/Driving Head, Transfer Tube, & Folding Tail Block	32	lbs.
498	Tube Case w/3 Extension Tubes & Auto-Lok	27	lbs.
498E	Empty Tube Case	7	lbs.
499E	Empty Combo Cases (Head & Tube)	18	lbs.

No. 500 Single Case Stretcher

Our single case design comes with wheels for easy transport. The No. 500 case holds a Driving Head, Folding Tail Block, Transfer Tube, 3 Extension Tubes, and one Auto-Lok Tube. The single case design saves money.

No. 503 Empty Single Case holds the Stretcher components listed above for the No. 500, or up to 6 Extension Tubes. (Note: you must have new style narrow lifting handle to hold all of these stretcher components.)

Order No.	Description	weight
500	Single Case Stretcher	53 lbs.
503	Stretcher Carrying Case	11 lbs.
1500-U	Driving Head ÓNĽY	12 lbs.

Stretcher Accessories

No. 501 Auto-Lok Tube

Adjust the length of stretcher tubes fast with the Auto-Lok Tube. Just push back on your tubes to extend, push buttons and pull back to shorten. Works with other Junior Power Stretchers with standard size poles. Description Order No. Weight **Auto-Lok Tube** 7 lbs.

No. 510 Lever Extension Tube

The top hand lever permits fast extension or retraction of the tail. The bottom floor lever unlocks when the stretcher head is lifted off the floor, allowing the head to be extended or retracted. Reduces back twisting necessary to activate the buttons of an Auto-Lok tube. Order No. Description Weight 7.82 lbs. 510 **Lever Extension Tube**

Extension Tube Sections

Extra extension tubes give you extra length for big jobs. Available in steel and aluminum models.

502	3' Extension Tube	6.00 lbs
516	3' Aluminum Stretcher Tube	3.26 lbs
517	5' Aluminum Stretcher Tube	6.00 lbs

No. 500Z and 520Z Cotton Grip Heads

Helps prote	ct Berber and lo	w-level commercia	ai carpets
Order No.	Description	For Stretcher	Weigh
500Z	Cotton Head	499-500	4 lbs.
520Z	Cotton Head	520	4 lbs.

This tail block folds for stretching off outside corners in "L"-shaped rooms, and posts. The tube locks for stretching off posts. Spans 20" flat. Also has wheels to move it down the wall fast. Works with all Crain Stretchers, and other junior stretchers with standard poles. Order No. Description Weight

Folding Tail Block 1500-23

Order No.

500



Stretching Tools

The mini-stretcher is great for pattern-matching, fast restretching without tubes, and seam repair. Features include stretch-lock button, two fully pivotable gripper heads, open top wall blade for fast tucking, and carrying case. Gripper heads and wall blades are quickly connected onto either end using the push-button lock pins. Tall seam repair legs that create a 9" high by 10" wide work area beneath to run an iron are sold separately (No. 519).

Order No.

Description

Weight
515

Mini-Stretcher
22 lbs.
519

Tall Seam Repair Legs
31/2 lbs.



No. 161 Notched Carpet Spreader

Our notched carpet spreader is made from flexible brushed stainless steel. The blade is flexible enough to be used in tight spaces as a glue spreading trowel tool. The blue plastic handle is ergonomically contoured, Blade width: 12 inches.

Order No.

Description

Weight

161

Notched Carpet Spreader

8 oz.

No. 162 Plain Carpet Sprea

Our plain spreader is made with thicker 16 gauge plated steel without notches. This creates a better tucking tool that won't bend and easily slides at the gully, because it won't catch yarns. The black plastic bandle is erronomically or



handle is ergonomically contoured. Blade width: 10".

Order No. Description Weight

162 Plain Carpet Spreader 8 oz.

Working from the top of the stairway down, it stretches the carpet fully – with gravity working with you, it's easier! Gives a tighter uniform stretch, without the usual sore knees.

DescriptionStairway Stretcher





FROM TOP STAIR -STRETCH

TUCK

Carpet Kickers CIRAIIN









No. 605 Deluxe Knee Kicker

Our deluxe kicker features a high profile body that more easily spans stretcher tubes, a soft synthetic rubber grip, a recessed trigger for length adjustment, a thicker seamless bumper pad, and internal power rods to support the pin plate.

Length is adjustable with 5 satings from 181/2" to 221/2". Head includes 8 nap grips and pin plate with 16 hardened steel pins. Pin dial provides 9 pin depths for various carpets. Comes with cap cover. Bumper, nap grips and pin plate are replaceable.

Order No. Description Parts per Wt. Ea.

ler No.	Description	Parts per	Wt. Ea.
605	Knee Kicker	1	5.89 lbs.
05-K	Gripper Inserts	3	2 oz.
01-B	Pin Plate	1	3 oz.



Protection and comfort for kneeling and knee kicking in one great pad. More information on page 30.

No. 445 Knee Kicker

This classic kicker has a recessed trigger for length adjustment in five settings from 17¾" to 21¾". Gripping head includes 3 nap grips, and pin plate with 16 hardened steel pins. Pin dial provides 9 pin depth adjustments for various carpets. Seamless bumper cushion, nap grips and pin plate are replaceable.

	The Repure Tile		
rder No.	Description	Parts per	W& Ea
445	Knee Kicker	1	3 lbs.
1505-K	Gripper Inserts	3	2 oz.
	Pin Plate	1	3 oz.

No. 505 Knee Kieker No. 525 Wide Knee Kicker

This family of kickers with telescoping tube construction are some of the most durable available. The No. 505 and No. 525 have four length adjustments (approximately 21" minimum to 25" maximum)

The popular No. 505 has 3 nap grips, and 4 rows of 16 total hardened steel pins. Pins are adjustable to 9 different depth settings for various carpets. Internal power rods support the pin plate.

The No. 525 is a wider kicker with a fifth row of pins (19 total pins) and a fourth nap grip that moves a wider section of carpet on every kick. Also features the thick bumper found on our deluxe kicker (No. 1600-C), and internal power rods supporting the

pin plater			
Order No.	Description	Parts per	Wt Ea
505	Knee Kicker	1	5.88 lbs.
525	Wide Knee Kicker		7 lbs.
1601-B*	Pin Plate	1	3 oz.
1505-K*	Gripper Inserts	3	2 07
1525-12**	Pin Plate	1	0.39 lbs.
1525-14**	Gripper Inserts	4	0.33 lbs.
		STATISTICS OF THE PARTY OF THE	

*Parts for No. 505 and No. 506. **Parts for No. 525

igothermall CRAIN Seaming Cutters Straight Edges igothermall CRAIN



U.S. PAT. NO. 10,710,255



No. 302: NOTCHED ROW GUIDE **FAST OFFSET BLADE CLAMP**

SELF-CLEANING

E TIGHT' NO.





00000 00000

CUTS LEFT SIDE CLOSE

Nos. 301, 302, AND 303 CUT CLOSE!

Designed especially for trimming and cutting superdense ⁵/₆₄" gauge foam or sponge-backed carpets. Double 30° angle blades cut either side of the row close and clean to help produce better seams. The long, slender front guide is beveled at the bottom, making it easy to stay in a row. Made from nickel-plated steel.

Trims close to the carpet pile on the right (Figure 1). On the left side, use the opposite blade (Figure 2). Close cuts on both seam edges produce better seams.

Order No. Description Weight Blades
301 Cushion Back Cutter 8 oz. 306C, 308C, 309C

This cutter has a notched row guide that follows rows better, particularly on hydrashift and Berber carpets. The off-set blade clamp allows fast blade changes without removal of the fastener. The 30° blade angle cuts cleanly.

Trims close to the carpet pile on the right (Figure 1). On the left side, use the opposite blade (Figure 2). Close cuts on both seam edges produce better seams.

Order No. Description Weight Blades
302 Cushion Lock Cutter 8 oz. 306C, 308C, 309C

This cutter has a base for cutting over pad or other carpet, and an adjustable throat that locks down on the row. Its 30° blade angle exposes more blade surface for smoother cutting. Now features three thumb screws that hold rigidly, and self-cleaning blade holders.


Order No. Description 303 Loop Pile Cutter 8 oz. 306C, 308C, 309C

This cutter excels on zigzag ("hydra-shift") carpets including commercial loop pile and Berbers! The blade runs directly behind the center row guide. This keeps the blade away from the offset yarns, preventing yarns from being sheared, which causes unsightly seams. The wide base keeps the blade perpendicular to the yarns, further reductions. ing nap shear. The row guide can be retracted fully into the base for top cutting. The tool can also be used as a trimmer to precisely trim carpet up to Z-bar or vinyl molding.

Order No. Description Weight Blades
290 Seam Cutter Plus 1.2 lb. 295C, 308C, 309C







These cold drawn steel straight edges are accurately ground and tested before shipment. Guaranteed to be straight within ± .005" at the time of sale. Both models have a 45° angle end

and red painted surfaces to protect against rust. Order No. Dims. Weight Order No. Dims. Weight 113 $6' \times 3'' \times 1/8''$ $7^{1/2}$ lbs. 113S $4' \times 3'' \times 1/8''$ $4^{1/2}$ lb.

Now, the installer has the advantage of two tools in one. With one side of the tool straight and the other side a Serpent Edge, it is usable for both resilient and carpet purposes.

Order No. Length Weight Order No. Length Weight 119 75" 81/2 lbs. 119S 36" 41/3 lbs.

Absolutely accurate and guaranteed to stay straight. These precision ground straight edges are made of special spring steel that will take the rough daily use that flooring tools get. Order No. Dims. Weight Order No. Dims. Weight 334 6' x 3" x $^{1}/_{8}$ " 6'/₂ lbs. 334S 4' x 3" x $^{1}/_{8}$ " 4 lbs.

These straight edges are made from hard extruded anodized

aluminum, and have a hole at one end for hanging.

Order No. Dims. Weight Order No. Dims. Weight

535 36" x 21/2" x 3/16" 11/4 lbs. 536 72" x 21/2" x 3/16" 21/2 lbs.

These handy spring steel straight edges are great for working in corners, doorways, and tight areas. The 45° angle end

makes template	work easier.	THE RESERVE AND ADDRESS OF THE PARTY.
Order No.	Dimensions	Weight
116	18" x 2" x ¹ / ₃₂ "	4 oz.
117	32" x 2" x ¹ / ₃₂ "	6 oz.
118	39" x 2" x ¹ / ₃₂ "	7 oz.

The 912 has $^{1}/_{16}$ " graduations. The 915 has $^{1}/_{8}$ " graduations. Markings are permanently impressed in the steel. These squares are perfect for patterned sheet goods layout.

Order No.	Description	Body	Tongue	Width	Weight
912	Steel Square	12"	8 ⁱⁱ	1"	8 oz.
915	Steel Square	24"	16"	2"	1 ¹ / ₂ lbs.





No. 627 Edge Sealing Tip Convenient pulling action

Works in line of sight

No. 201 - 10'

8" NAPPING

Seaming Tools







No. 190



No. 204 Glue Gun, Nozzles & Sticks

Seaming Tools

This 100 watt glue gun comes with both a carpet edge sealing tip and a conventional 1/8" nozzle. Carpet edges pre-sealed with hot melt dry quickly and resist fraying. During the seaming process, the hot iron reactivates the hot melt, allowing the edges to bond together to reduce seam peaking.

order N		Watts	Weight
204	Edge Sealing Glue Gun	100	1 ¹ / ₄ lbs.
201	10" Glue Sticks - 19 Stick Pk.		1 lbs.
202	4" Glue Sticks - 24 Stick Pk.		8 oz.
627	Carpet Edge Sealing Tip		1 oz.
629	¹ / ₈ " Nozzle		1 oz.

No. 180 Seam Squeezers

These powerful squeezing springs force cushion-back carpets together, producing an improved seam. The gripper pins hold in the nap and maintain an inward squeezing force. The inward pressure can be perfectly regulated as desired. Sold in pairs.

Order No.	Description	Weight
180	Seam Squeezers	1 lb./set

No. 365 Row Separator

This double-ended tool has a pointed end for cut pile with a wider conical surface behind the point. On tall cut pile, the narrow point penetrates deep within the row, while the wider conical surface spreads the tufts. The opposite end is beveled and rounded for spreading loops on loop pile and Berber carpets without snagging. This tool will effectively open and spread rows for reduced shearing of carpet nap. Machined from solid steel, and nickel plated.

Description Weight Order No. **Row Separator**

No. 366 Commercial Row Finder No. 367 Residential Row Finder

The smooth, rounded notches of these ultra-straight spring steel row finders open rows in difficult carpets. The No. 366 has rounded ends that can easily enter the rows of Berber and loop pile commercial carpets without catching loops. The No. 367 has pointed ends that can more easily enter the rows of dense cut pile or plush carpets. Once these tools find a row, they can be moved back and forth in a sawing action to open the row. After use, a seam cutter is able to follow the row with reduced shearing of yarns.

rder No.	Description	Weight
366	Commercial Row Finder	1 ¹ / ₄ oz.
367	Residential Row Finder	1 ¹ / ₂ oz.



Carpet Shears

No. 187 Big Loop Nap Shears No. 190 Duckbill Napping Shears No. 496 8" Carpet Shears

No. 187 - These nap shears feature offset handles for level cutting, with big, vinyl-coated loops for ease of grip. The flat duckbill blade won't gouge in use. Made of forged and plated steel with coated handles.

No. 190 - Lightweight with smaller loops and duckbill for precise napping. Offset handles for level cutting. Flat duckbill won't gouge in use. Plated steel with vinyl coated handles. No. 496 - An 8" long nap shear with longer blades. Nickel-

Order No. Description Length			Weight
187	Big Loop Nap Shears	7"	6 oz.
190	Duckbill Napping Shears	6"	5 oz.
496	8" Carpet Shears	8"	6 oz.



No. 905 Heat Bond Iron

The super low profile and ultra-narrow handle of this iron make it easier to get the seam together near the back of the iron. Dual indicator lights show both power-on and heating status. Self-cleaning base and 12' long HSJO cord are standard. The heavy-duty handle and riveted tray are highly durable. Available in grooved models only. Approximate heat range is 220° - 425°F. Runs at 800 watts. The No. 906 Kits comes with a steel case that can also hold a roll of tape, and a 25' 3-prong exten-

sion cord. Order **Description** 110 volt Iron

220 volt Iron 110 volt Kit Universal Tray 8 oz.

Weight Each

 $3^{1}/_{3}$ lbs. $3^{1}/_{3}$ lbs. 15.3 lbs.

No. 905 ADVANTAGES:

No. 906

DURABLE ROTATING CORD AND LOW PROFILE



No. 435 Flex Axle Roller No. 436 Straight Axle Roller No. 437 Bigfoot Roller No. 438 Pro Roller

The pivoting axle of the Flex Roller pulls seams together, while mixing the fibers for less visible seams. Nos. 435, 436, and 438 have spiked wheels that press through the pile to seal the carpet's back into the hot melt adhesives.

The No. 437 Bigfoot Roller is made with ribbed rollers, making it especially good for fine-denier saxony, plush, and velvet carpets, as it will not snag or untwist yarns.

Order No.	Description	Width	Weight
435	Flex Axle Roller	4"	10 oz.
436	Straight Axle Roller	4"	14 oz.
437	Bigfoot Roller	55/8"	15 oz.
438	Pro Roller	6"	14 oz.

No. 476 Carpet Tractor

No. 476

No. 898

IRON COMBO

TAPE & IRON NOT

CASE ONLY

INCLUDED

Made with 3 rows of spaced 11/4" dia. spike wheels which flatten seams, reduce seam-peaking, and mix fibers for less visible seams. Durably constructed and made in the U.S.A. Order No. Description Size Weight

6" x 3" x 2" Carpet Tractor



This all steel case is designed for carrying carpet seaming irons. Features a hinged platform that adapts to hold 3" or 6" irons. Besides room for an iron, there's a partition for holding a roll of tape, plus space to loosely lay the iron's cord and an extension cord. Heavy-duty latch is lockable. Order No. Description **Weight Each** Iron Combo Case Only



Carpet Trimmers



U.S. PAT. NO. 6,421,923 B1

No. 247

MULTI Trims

both carpet

No. 145

and vinyl

U.S. PAT. NO. 7,356,932 B1 7.788.812 B2

Trimmers

No. 245 Deluxe Carpet Trimmer

Features top-loading blade carriers, so blade changes are faster and easier. Wide open throat area provides smooth cutting action. Comes with six shims for height adjustment, and visual throat adjustment from the base for all kinds of carpet. Wall runner is treated with a non-skid material, and is angled outward for minimum wall contact.

Description Weight Blades 245 Deluxe Carpet Trimmer 1½ lb. 1245-U New Runner Pad, 245, 246 1/10 oz.



EASY BLADE CHANGE



OPEN THROAT FOR SMOOTH CUTTING

No. 246 Carpet Trimmer

This new trimmer is similar to other popular models but with faster blade change and throat adjustment. When the wall runner is removed, the blades are easily accessible. The wall runner is easily reinserted by inserting a pointed edge into a relief in the shim and lifting. Throat adjustment sockets are stamped in every shim, eliminating the need for a separate part.

Order No.

Description Carpet Trimmer Weight Blades 1.8 lb.







BLADE HOLDER

No. 247 Multi-Purpose Wall Trimmer

A real time-saver when used to trim vinyl or carpet to fit walls! Slotted blades are used for carpet or vinyl trimming, while hook blades work best for carpet tiles. Comes with anti-friction boot for use on vinyl installations.

Order No. Description Wall Trimmer



Weight Blades 2 lb. 306C, 308C, 996X

No. 145 Seam Adhesive Bottle

Used to seal the edges of carpets before seaming for stretched or gluedown jobs. Supplied with an applicator nozzle and snap-on cap for storage. Sealer not included.

Order No. Description Capacity Weight Weight Seam Adhesive Bottle 8 oz. 11/4 OZ.



Tucking Tools





No. 157 Molding Lifter No. 354 Tool Pouch No. 187 Big Loop Nap Shears No. 450 Deluxe Strip Cutter No. 950 Kit includes: No. 024 24" Tool Box No. 189 Hook Utility Knife No. 505 Knee Kicker No. 245 Deluxe Wall Trimmer No. 726 Pivoting Carpet Knife No. 080 White Chalk Refill No. 135 Chalk Box No. 145 Seam Sealer Bottle No. 301 Cushion Back Cutter

No. 332 20 oz. Hammer

No. 152B Stair Tool

Nos. 152B, 154 & 155 Stair Tools

Constructed of tough, durable, alloy steel to withstand hammering. The blades are ground to a perfect taper and won't cut the carpet. Nickel plated.

Order No.	Description	Width	Length	Weight
152B	Cushion Stair Tool	4"	8"	1 lb.
154	Narrow Stair Tool	27/8"	8"	1 lb.
155	Bent Stair Tool	31/2"	6"	1 lb.

No. 192 Turning Tool & No. 195 Carpet Awl

The bent-leg Turning Tool is used to turn carpet under "Z" Bar and to roll carpet into edge gully. The straight Carpet Awl has a heavy-duty high-carbon steel pointer that extends through the plastic handle for hammering.

rder No.	Description	Length	Weight
192	Turning Tool	6"	3 oz.
195	Carpet Awl	61/4"	3 oz.

Nos. 125 & 135 Chalk Lines & Chalk

No. 125 Irwin features easy sliding chalk door and tough aluminum construction. No. 135 Keson features 3-way gearing for fast retrieval. Refill chalk using No. 080 (white) or No. 080B (blue) chalk.

01 140. 0000	(DIGO) OHIGH	the state of the s	
Order No.	Description	Line Length	Weight
125	Irwin Chalk Line	100'	8 oz.
135	Keson Chalk Box	100'	8 oz.
080	White Chalk Bottle	HAVE BURE	8 oz.
080B	Blue Chalk Bottle		8 oz.
PERSONAL PROPERTY.			CALL CYMPLE

No. 151 White Rubber Mallet


This non-marking white natural rubber mallet is perfect for malleting metal moldings. Durable hardwood handle.

cription Weight	
ober Mallet 20 oz.	3
t	bber Mallet 20 oz.

No. 950 Professional Installers Tool Kit

This kit has the basic tools needed for carpet installation by the professional. The kit saves you money! The tools included in the kit are listed at the bottom of this page. Weight Order No. Description 950 Professional Installers Tool Kit 29 lb.

Sewing Thread, Needles & Thimbles




NOTE: Polyester thread is less expensive; but can stretch, showing more of the seam.

er No.	Description	Weight
69	Economy Polyester Thread	4 ¹ / ₂ oz.
71	Natural Waxed Linen Thread	$4^{1}/_{2}$ oz.
61	21/8" Long Needles (25 pack)	.05 lb.
62	3" Long Needles (25 pack)	.07 lb.
65	4" Curved Needles (12 pack)	.05 lb.
12	Thimble, Finger, Small #12	.01 lb
'13	Thimble, Finger, Medium #13	.01 lb.
'14	Thimble, Finger, Large #14	.01 lb.
15	Thimble, Thumb, #00	.01 lb.



Tackless Tools



No. 450 Deluxe Strip Cutter

The new blade stabilizers on the No. 450 minimize deflection and provide increased cutting force. The extra long blades will cut a diagonal in regular strip or a straight cut in architectural. The handle features a blade storage area and comes complete with extra blades. Constructed of steel and nickel-plated to last a lifetime. Guaranteed 12 months.

Order No. Description Weight Blades
450 Deluxe Strip Cutter 11/4 lb. 451

Hammers & Hatchets

Order No.	Description
Oluci ito.	Description

- 332 ECONOMY HAMMER Forged steel head is securely fastened to a fiberglass handle. Weight 20 oz.
- 296 VAUGHAN HALF-HATCHET A multipurpose tool for cutting and hammering down tack strip. Features hardwood handle and sharpenable alloy steel blade. Weight 22 oz.

No. 172 Magnetic Tack Holder

This tool has a magnetic tip that holds the nail when it is difficult for fingers to do the job, particularly when nailing tackstrip with stubby nails. Made 5½" long.

Order No. Description Weight
172 Magnetic Tack Holder 8 oz.

Nos. 362 & 363 Door Pin Tools

Both tools have a solid steel push pin on one end for pushing up the head of the door pin. The opposite forked end then fits under the head to lift it out. Forked end is tapered for insertion. The No. 363 also has a capture spring to keep the greasy pin from falling on the carpet.

Order No.	Description	Weight
362	Door Pin Tool	8 oz.
363	Deluxe Door Pin Tool	9 oz.

No. 166 Crain Magnetic Driving Bar

Features a forged alloy steel body with tapered nose and magnetic tip for nailing under toe-kicks and heaters. The vulcanized rubber handle absorbs vibration.

Order No.DescriptionWeight166Magnetic Driving Bar5 lb.

Crain Aluminum Drives

No. 332

No. 363

For solid carbide drill bits see page 30.

No. 209

Extra Open

Time Sticks -

Starter boards

MAGNET TIP

LONG OVAL

LIFT PIN - Nos.

362 and 363

CAPTURE

These fasteners are ideal for securing all types of tackless and metal mouldings to concrete, terrazzo, marble, slate, or ceramic floors. The semi-square body squeezes tight when hammered into a $^{1}/_{8}$ " drilled hole. The No. 078 oval head is for metal with counter-sunk screw holes.

Order No.	Description	Hole Size	Weight
078	¹ / ₈ " x ⁷ / ₈ " Drives	$^{1}/_{8}$ " \times $^{7}/_{8}$ "	1 lb.
580	1/8" x 5/8" Drives	$^{1}/_{8}$ " \times $^{3}/_{4}$ "	1 lb.
780	1/8" x 7/8" Drives	¹ / ₈ " x 1 "	1 lb.
783	3/16" x 7/8" Drives	³ / ₁₆ " x 1"	1 lb.

No. 207 High Temp. Glue Gun 220W No. 208 Acrylic 10" Glue Sticks No. 209 Extra Open Time Glue Sticks

Acrylic glue sticks quickly bond tack strip, wood, metal trims and vinyl moldings to concrete, tile, stone or wood floors. They are a fast alternative to aluminum drives or contact cement. Extra open time glue sticks provide more time to position materials (approx. 3 min.) for gluing starter boards or long trim pieces. Use a high temperature glue gun such as the 220W Crain No. 207. The No. 207 has variable temperature control and includes carrying case.

Order No	o. Description	weight
207	High Temp. Glue Gun 220W	4 lb.
208	Acrylic 10" Glue Sticks (19 Pack)	1 lb.
209	Extra Open Time Glue Sticks (20 Pack)	1 lb.
	· · · · · · · · · · · · · · · · · · ·	

Carpet Tackers No. 635 Opto Power Tacker

The Opto Power Tacker has a ruggedized electronic control board with an optical sensor that fires in response to a tough sliding trigger. Eliminates delicate mechanical microswitches, which frequently required replacement. The long, slender nose parts yarns and gets down to the carpet's backing. The short height, narrow profile, and rounded cap allow stapling in tight areas. Powerful 11 AMP solenoid drives staples even into hardwoods. Precision jam-resistant magazine is rigidly mounted and opens with a release button. Once open, the staple channel is accessible to clear jams. Takes DuoFast® Nos. 5418 or 5415 staples, Shur-Fast (No. 619), or generics. DuoFast® is a registered trademark of the DuoFast® corporation.

	Description		Weight
635	Opto Power Tacker	11/115	5.9 lbs.
619	9/16" Shur-Fast Staple	es	11/8 lbs
486	Safety Glasses		2 oz.

No. 518 Stair Claw

This tool provides a simple means of stretching stairs and forming carpet around the stair nosing. Hook the claw on the stair and pull the handle down. The pulling action of the gripper teeth stretches the carpet across the stair, while the bottom side tucks it up under the stair nose. Recesses in the bottom edge make for easy stapling. The stair claw makes a tough job easier!

Order No.	Description	Weight		
518	Stair Claw	11 oz.		

No. 130 Staple Hammer and Staples

This proven tool is perfectly balanced for pad stapling. The rear-loading staple magazine holds 160 staples. Cleverly constructed, with only four moving parts. Built to take a beating.

Order No. Description		Weight
130	Staple Hammer	2 lbs.
141C	3/8" Chisel Point (5000 pack)	1 lb.
142D	3/8" Divergent Point (5000 pack)	1 lb.

No. 550 5000 Series Hammer Tacker No. 750 7500 Series Hammer Tacker

These economical hammer tackers feature bottom-loading magazines and all-steel staple driving mechanisms. The No. 550 takes 5000 series pad staples, and the No. 750 takes 7500 series pad staples.

Order No.	Description	Weight
550	5000 Hammer Tacker 1/2" Crown	2.16 lb.
750	7500 Hammer Tacker 15/32" Crown	2.23 lb.

No. 147 Edge Binding Stapler

Ideal for binding area rugs or carpet samples. The staple guide adjusts the throat opening or can be removed altogether. The rear-loading magazine holds 150 staples. A well-designed tool, made to last a lifetime.

Order No.	Description	Weight
147	Edge Binding Stapler	1 lb.
148	⁵ / ₁₆ " Staples (5000)	1 lb.

No. 126 Staple Remover

The pinching action of this tool clamps the crown of the staple as the lever pulls it from the floor. Both staple legs are reliably removed, quickly and easily.

Order No.	Description	Weigh	
126	Staple Remover	8 oz.	

Staple Saver Boxes

These durable protective boxes for staple boxes are made from telescoping ratchet tubes. The No. 617 holds Duo-Fast® No. 5418 Electric Tacker Staples. The No. 618 holds Duo-Fast® No. 7512 Hammer Tacker Staples.

Order No.	Description	weignt
617	Staple Saver Box (5418)	2 oz.
618	Staple Saver Box (7512)	2 oz.
Duo-Fast® is a	registered trademark of the Duo-Fast	® corporation.

CRAIN





CHISEL

No. 130





3/8" LENGTH 3/8" LENGTH

DIVERGENT



No. 617

No. 618

Carpet Tackers

13 Tackless Tools

MAGNETIC

No. 362

No. 208

Acrylic

Sticks -

Tack strip

CRAIN











Carpet Knives

No. 725 Deluxe Carpet Knife

Features a rear-loading blade magazine for quick access to extra blades. Dull blades are easily removed without dismantling, and new blades slide into place and lock down tight. Cast of aluminum, with a bright polished surface.

Order No. Description Weight



Order No. Description Weight Blades
725 Deluxe Carpet Knife 4 oz. 306C, 308C, 309C

No. 726 Pivoting Carpet Knife

This new knife features a thumb knob for quick opening and closing without a screwdriver. Pivots open for easy access to blade storage or replacement. Diecast in aluminum. No blades are included along with this knife.

Order No. Description Weight Blades
726 Pivoting Carpet Knife 4 oz. 306C, 308C, 309C

No. 733 Extra-Crip Razor Knife

This carpet knife has a slim profile and heavy knurling on the body and up front for better grip and precision cutting. With a turn of the folding thumbscrew, it pivots open for blade storage. Blades are easily removed with a teeter-totter action. Blade clamp is magnetized for easy blade changes. Takes standard slotted razor blades.

Order No. Description Weight Blades
733 Extra-Grip Razor Knife 4 oz. 306C, 308C, 309C

No. 217 Hook Handle Razor Knife

The wide-contoured body and hook at the back creates comfort and permits a stronger grip. Pivots open for blade storage. Takes standard slotted razar blades.

Order No. Description 217 Razor Knife

Blades 6 oz. 306C, 308C, 309C

The fast-opening design of this knife requires only the press of a button! Full-size handle is knurled for sure grip. Takes standard slotted razor blades, with blade storage in the handle. Attractive red enamel finish.

Order No. Description Weight Blades 330 Push-Button Carpet Knife 7 oz. 306C, 308C, 309C

No. 735 Carpet Pad Knife

The unique blade angle of this knife shear-cuts cleanly, without shredding pad. Features a quick-opening thumb-knob and extra blade storage in the handle. Sturdily constructed, with a bright aluminum finish and a knurled anti-slip bandle.



Order No. Description Weight 735 Carpet Pad Knife 4 oz. 4 oz. 306C, 308C, 309C

Carpet Knives

No. 723 Pocket Willity Knife

Takes any utility blade and has a durable blade holder that snaps closed and holds tight. The handle is contoured for comfort and has a special compartment for blade storage. Opens easily and locks rigidly for fast, forceful, and precise cutting.

Order No. Description Weight Blades 728 Pocket Utility Knife 8 oz. 295C

This knife has a multi-purpose steel blade to tuck carpet near fragile tiles or toilets, hook edge for heavy cutting, front scraper edge with a notch to remove door pins, and a flat head screwdriver for Crain scraper screws. Other end has steel tapping insert. Blades are replaceable.

Order No. Description Weight Blades

175 Tuck Knife 5 oz. 177

A better knife in every way! The 3" long blade is absolutely sharp and holds its edge after others would be dull. Also features a truly comfortable contoured handle.

Order No.

Description

Long Hook Knife

4 oz.

These silicone carbide sharpening stones are especially designed for curved carpet and linoleum knives. The No. 930 Laminated Stone is two kinds in one – laminated 50/50 with fine on one side, medium on the other.

Order No.

Description

Weight

Description
Sharpening Stone
Laminated Sharpening Stone 910 930

No. 174 Instant Repair Tool

An inexpensive tool for removing stains in carpeting. It has four blades and a pivot pin that cuts a 3" diameter hole. Made of durable aluminum.

Order No. Description Weight Blades
174 Instant Repair Tool 2 oz. 1174-A

No. 800 Loop Pile Gut

Now takes utility, slotted razor, or Crain No. 300Y blades. With utility or 300Y blades, it cuts from the backing and prevents shearing of yarns. Metal springs keep carpet

from raising up.

Order No. Description Weight Blades
300 Loop Pile Cutter 8 oz. 295C, 300Y, 308C

Our most durable and versatile cutter takes utility blades, slotted razor blades, or Crain 300Y Loop Pile Blades. When

used with utility or Crain 300Y blades, this cutter cuts smoothly from the carpet's backing, and will not shear yarns. Also features a steel foot plate for use on concrete.

Order No. Description Versa-Cutter

Weight Blades 8 oz. 295C, 300Y, 308C

STEEL FOOT

STEEL ROW GUID

◆ CRAIN











plugs for repairs!







CRAIN 300Y



Power Stripper

















No. 710 Power Stripper

The Crain Power Stripper features new "Power Channel" construction designed to force the blade forward with more focused energy. The oscillating cam action of the one horsepower motor is channeled straight ahead using steel channels and ball bearings. The blade carrier forms an ultra-low blade angle allowing the blade to get beneath the material to be removed. Comes with a new heavy-duty 5½" long x 3½" wide x ¼" thick "Spud-Blade" (No. 711) for light tile and wood removal. Also includes No. 701 4" x 6" Vinyl Blade, No. 705 3" x 10" Multi-Purpose Blade, No. 717 Stripper Razor Blade Adaptor, and 35 lb. weight. A variety of blades are available for different jobsite conditions and different types of flooring. See the table below. Order No. Description Weight

Fast Blade

710



Power Stripper




No. 718 Power Scraper

This lighter machine has a 1/2 horsepower motor and power channel construction enabling it to take up heavy adhesive residue, vinyl or VCT. Front-mounted 40° angled telescoping handle puts extra force behind, and extra pressure down on the stripper blade. The machine is highly maneuverable and collapses quickly for easy carrying. Comes with a No. 701 4" x 6" Vinyl Blade, No. 705 3" x 10" Multi-Purpose Blade, No. 717 Stripper Razor Blade Adaptor, and narrow No. 719 3½" x 3¾" Thin Spud Blade for tough take ups. Power channel construction forces the blade forward with more focused energy. The all-steel frame and handle provides rigidity and durability. A variety of blades are available. See table below of Stripper Machine Blades. Description Order No. Power Scraper

Stripper Machine Blades

These blades are for use with the discontinued Crain No. 700 Bearcat Stripper, No. 710 Power Stripper and No. 718 Power Scraper. "D" signifies double-edge.

Order No.	Description	Weight
701	4" x 6" Vinyl Blade	6 oz.
702D	4" x 6" D. E. Vinyl Blade	6 oz.
703	5" x 6" Carpet Blade	8 oz.
704D	5" x 6" D. E. Carpet Blade	8 oz.
705	3" x 10" Multi-Purpose Blade	8 oz.
706D	3" x 10" D. E. Multi-Purp. Blade	8 oz.
707	3" x 16" Wide Cleaner Blade	13 oz.
708	5" x 16" Wide Cleaner Blade	1 lb.
711	5½" x 3½" Thick Spud Blade	1 lb.
717	Stripper Razor Blade Adaptor	1 lb.
719	3½" x 3¾" Thin Spud Blade	5 oz.



Tear-out Tools

No. 265 Stand-Up Cutter

Used to slice glue-down carpet into strips, or for rough cutting of carpet off the roll. Features a sharp, hardened point that lifts the carpet into the blade. The point rides on the subfloor, pre-cutting the carpet and extending blade life. The handle is adjustable in length and double-locks for safety. Uses hook or utility blades. Description Weight Stand-Up Cutter 3 lbs. 295C, 996X Replacement Point 2 oz.

Nos. 375 & 375S Big Scraper & Blades

These tools feature a wide, heavy-duty replaceable blade, and a twist-lock adjustable telescoping handle. Two models are available, for standing or kneeling. The stand-up model saves a lot of crawling. Great for stand-up floor scraping, but not for heavy-duty prying. Handle Length

Min. Max. Wt. 39" 59" 4 lbs. Description Blades 4 lbs. 376, 377 **Big Scraper** Short Big Scraper 19" 26" 2 lbs. 376, 377

No. 350 & 360 Pro Strippers

These top quality hand strippers have heavy-duty 3 screw blade holders, hardened blade screws, and thick round-ended handle grips that fit the palm. The No. 350 has a 12" handle, and No. 360 has a 20" handle for more reach and room for gripping on the handle.

Order No.	Description	Length	Weight
350	Floor Stripper	12"	8 oz.
360	Pro Stripper	20"	12 oz.
351	Blades, vial of 10		1 oz.
351C	Blades, disp. box of 100	0	1 lb.

No. 390 Inertial Scraper

This new scraper helps you plow through the toughest removal jobs with less effort. Its metal handle is weighted to produce inertia, and has rounded edges to prevent sore palms. Comes with one 5" blade.

order No.	Description	Weight
390	Inertial Scraper	13/4 lbs.
391	Inertial Scraper Blades (10)	10 oz.

No. 844 Pulling Claw

Grab an edge of some glued down carpet and pull away with this compound leverage tool! The springloaded jaw opens automatically for insertion of carpet. The harder you pull, the harder the roller-activated upper jaw clamps down on the lower jaw. The large contoured handle provides a good gripping surface.

Description Pulling Claw 2 lbs.

No. 230 Deluxe Floor Scraper

Our best hand floor scraper, this tool features a 2" wide sharp tool steel blade that shaves-up all types of floor coverings on concrete or wood subfloors.

Order No.	Description	Weight
230	Deluxe Floor Scraper	13 lbs.
231	Replacement Blade	61/2 oz.
232	3" Replacement Blade	10 oz.

No. 666 Dust Pan

Made from one piece of rugged 20 gauge steel with corrugated ribs for stiffness. Lip is 12" wide with a beveled edge. Order No. Description Weight Dust Pan 11/4 lbs.

No. 337 Duster Brush

This quality wood-handle brush is made from long-lasting blended horsehair. Size 21/2" x 14" overall, 8" blade. Order No. Description **Duster Brush**







No. 001 Model "A" Tile Cutter

The Crain 12" cutter provides the accuracy demanded by professionals. The straightness of cut is factory-calibrated to +/-.005" prior to shipment, which is essential for precisely matching edges in pattern work. sential for precisely matching edges in pattern work.
The cutter also has a locating stop for repeat cuts at

BLADE HEIGHT

the wall. When the tile to be cut is placed in the cutter, dim. A equals dim. B. The built-in low-profile blade height ad-justment knobs are fast-

activating. Comes with compact carrying case and instructions.

No. 008 18" Vinyl Special Tile Cutter

This cutter is built to cut up to 18" resilient tiles straight, or 12" tiles diagonally. Comes with both diagonal and straight tile guides. Features a locating stop for repeat cuts at the wall (see No. 001 above), and built-in low-profile blade height adjustment knobs. The steel reinforced blade holder and heavy-duty base ensure straight and accurate cutting.

Order No.

Description

Weight

008

18" Vinyl Special Cutter

31 lbs.

No. 310 Dividers

This popular double-needle design features a rounded radius arm and oversized thumb knob for smooth and secure adjustment. Pins are replaceable (No. 311). This is a simple design that many vinyl installers

Order No. Description Rep. Needle Weight 310

o. 382 Double-Needle Dividers

This tool features a smaller, 4" overall size that fits into the palm of the user's hand, and double needles for completely versatile scribing. It has a fixed bent leg and a dismountable straight leg for pencil scribing. The locking knob is easily tightened or loosened

without a screwdriver. Spans 6".

Order No. Description Rep. Needle Weight
382 Double-Needle Dividers No. 129 2 oz.

Styled similar to the Wilkee, these dividers are the industry standard. Constructed of forged steel and plated. Features a bent leg and a removable pin vise with a knurled tightening cap. The 6" legs expand to scribe up to 14" circles.

Order No. Description Rep. Needle Weight Deluxe Dividers No. 129

Trim Line corners cover up problems at coved inside or outside corners. Great for repairs. Sold by each in

standard pack of 25 corners, in silver of gold.			
Order No.	Description	Weight	
270	Outside Silver Corner, Each	0.14 oz.	
271	Inside Silver Corner, Each	0.14 oz.	
272	Outside Gold Corner, Each	0.14 oz.	
273	Inside Gold Corner, Éach	0.14 oz.	



COMES WITH APPLICATOR

OUTSIDE SILVER - #270 GOLD - #272

ADJUSTMENT KNOBS



COMPLETE OUTSIDE CORNER

INSIDE **SILVER - #27** GOLD - #273



COMPLETE INSIDE CORNER

Vinyl Rollers

Crain Seam Rollers

These resilient seam rollers have a single-arm design that lets you work close to the wall. The 2" diameter polished steel roller rides on a ball bearing race. The heavy-duty ferrule and arm bracket are plated to prevent rust.

The rollers come in two different handle lengths to suit your preference. The No. 348 & No. 349 rollers feature 9" wood handles. The No. 348S & 349S rollers have 6" wood handles.

Urder		100 100				
No.	Description	W	t. 🕛	Width	Dia.	Handle
348	Square Edge R	oller 2	lbs.	2"	2"	9"
348S	Square Edge R	oller 2	lbs.	2"	2"	6"
349	Round Edge R	oller 2	lbs.	2"	2"	9"
3495	Round Edge R	oller 2	lbs.	2"	2"	6"
		Ma			de	







No. 333 Crain Extension Wall Roller

A newly redesigned roller, much improved to make the work easier. The raised handle allows firm control with less effort. The tri-sectional rollers total 7½" wide. The new twist-lock adjustable handle telescopes from 17" to 27". The bright nickel-plated parts won't rust.

Order No.

Description

Weight
333

Extension Wall Roller

3 lbs

This hand roller is designed especially for use by plastic laminate installers. The 14" aluminum handle is designed to place the necessary pressure over the roller, with minimum effort. The 3" wide, solid, non-marking roller is recessed on the end to permit rolling

near walls or back splashes.

Order No.

346

"J" Roller Weight 8 oz.

Crain No. 075 (75 lb.) and No. 076 (100 lb.) rollers now have zinc plated roller sections to help prevent rust, and come with a protective wheelie case (No. 074 - sold separately). Constructed of solid steel to provide a lifetime of trouble-free service. All models have rollers with smooth surfaces and rounded corners to protect flooring materials from indentations. Each roller section "floats" independently on the axle to automatically compensate for subfloor irregularities. The end roller sections are recessed to inset the axle, preventing wall scuffing. The yoke has a detachable handle so that both may be carried a detachable handle so that both

Order No.	Desc.	Wt.	Dia.	Width-	Height
075	Vinyl Roller	75 lbs.	41/211	16"	38"
076	Vinyl Roller	100 lbs.	5 ¹ / ₂ "	16"	38"
074	Roller Case	8 lbs			

Solve air bubble problems fast with this disposable adhesive syringe and needle. The 2" hollow point tapered needle delivers adhesive right to the problem spot with an invisible puncture. State law prohibits

sale in these states: Connecticut, Maryland, New Jersey, Delaware, Massachusetts, New York, Maine, New Hampshire, Rhode Island.

Description 143 Adhesive Syringe & Needle 4 07.



U.S. PATENT #7,188,724 B1 #7,571,806


> No. 075 - 075 lb. No. 076 - 100 lb.

No. 188

Vinyl Scribers


















No. 188 Crain Hinge Scriber

At last - an improved seam scriber for linoleum, sheet vinyl, and cushion flooring materials. The tool features a heavy-duty hinged-guide, with a threaded adjustment relative to the needle. The 3-arm knob clamps tightly after the adjustment. The tool is comfortable to the grip, giving the user good control. Uses No. 129 Scriber Needles. Weight Order No. Description Hinge Scriber

No. 111 & 112 Scribers

These versatile tools feature the original famous Airway quality design and construction — a heavy die-cast housing, with a sturdy precision-fitting plated steel bar. No. 111 features a 6" bar. No. 112 features an 8" bar with an extra needle hole in the housing for circle scribing. Both come with one needle, and use No. 129 Scriber Needles.

raer No.	Description	Length	weight
111	Scriber	6"	4 oz.
112	Scriber	8"	8 oz.

No. 370 Recess Scriber

This scriber has a two part brass thumb knob. The top portion adjusts pin height for material thickness, while the bottom sets the scribing depth in the slot. No screwdrivers needed! Pins are replaceable (No. 371).

Description Weight Recess Scriber 3 oz.

No. 372 18" Scribing Tool

This tool accurately scribes widths from 2" to 16". The round tip on the nose guides against the edge of the vinyl or along walls when needed. Replacement pin: No. 371 Order No. Description Weight 18" Scribing Tool

No. 340 Selvage Trimmer

Trims the factory selvage, so the sheet can be accurately scribed and seamed. Insert the selvage in the slot and pull. The replaceable "V-shaped" blades ensure accuracy. (For blades, order No. 341 - 1 pack or No. 342 - 3 pack.) Order No. Description Weight Selvage Trimmer

No. 320 Vinyl Wall Trimmer

This tool accurately trims sheetgoods net to the wall. Adjustable front and rear guides provide precise control. The front bar holds that material in position against the wall. The rear guide keeps the trimmer running parallel with the wall for smooth trimming action. Comes with one hook blade. Blades: No. 321 Vinyl Wall Trimmer Blades (3).

Order No. Description Weight Vinyl Wall Trimmer 8 oz.

No. 194 Crain Outside Corner Scriber

Designed for easy and accurate scribing of outside cove corners. Polished metal construction. Comes with one needle. Uses No. 128 Needles.

Order No. Description Weight **Outside Corner Scriber**

No. 110 Inside Cove Corner Kit

This 3-piece tool kit really simplifies inside cove corner installations. The kit consists of a cove template, a pin vise, a special cove scriber, and detailed instructions. The system is foolproof, once mastered.

Weight Order No. Description Inside Cove Corner Kit

Vinyl Knives

No. 102 Crain Combination Knife

This fine knife combines both pointed and hook blades, making it two tools in one. The handy hook cuts both carpet and sheet goods, and is easily sharpened. The contoured handle fits perfectly in your hand.

Order No. Description Weight Crain Combination Knife 4 oz.

No. 732 Extra-Grip Utility Knife

Added knurling and contours up front provide better grip for precise cutting. With a turn of a thumbscrew, it pivots open for blade storage. Blades are easily removed with teetertotter action. Blade clamp is magnetized for easy changes. Order No. Description Weight Blades 3 oz. 295C, 996X

No. 189 Hook Handle Utility Knife

Wider contoured body and hook at the back allows your fingers to pull with increased power. Great on vinyl when used with hook blades, and takes all utility blades as well. Order No. Description Weight Blades 189 Hook Handle Utility Knife 4 oz. 295C, 996X

No. 727 Delphin Knife

Features a unique hinged body joint and a large tightening thumb knob for easy opening and blade changing of both hook and utility-type blades. The contoured body shape enhances gripping. Extra blades are stored in the handle. Order No. Description Weight **Blades** Delphin Knife 4 oz. 295C, 996X

Dexter Linoleum & Vinyl Knives

The No. 060 Dexter Linoleum Knife has a blade ground especially for cutting linoleum, while the No. 063 is ground for cutting vinyl. The knives have a resharpenable, high-carbon 2½" deep hook blade. The wide blade body on these knives provides stiffness and control, while the sharp point improves accuracy. The wood handle is contoured for firm grip. These are fixed riveted blade and handle combinations. Order No. **Dexter No. & Description** Weight

060 X752 1/2 Linoleum Knife 3 oz. VX752 1/2 Vinyl Knife 063 3 oz.

No. 005 Ward Handle

This knife for vinyl installation takes specialty blades that can adjust to a wide array of angles for difficult materials. With the No. 026A hook blade, it cleanly cuts felt back vinyl.

Order No.	Description	Packag
005	Ward Handle	1
012	Standard Blade	12
013	Heavy Blade	12


No. 006 Airway Knife

This knife is specially contoured for comfort. Made of smooth die-cast aluminum with close-fitting tolerances. One screw loosens the case for easy blade changing.

Order No.	Description	Weight
006	Airway Knife	6 oz.
025A	Airway St. Blades, 12/pkg.	1 oz.
026A	Airway Hook Blades, 12/pkg.	1 oz.







No. 026A Blade



Vinyl Welding Tools



No. 968

No. 972

SIMPLE DEPTH



FLOOR FOLLOWING O WHEEL

No. 969

No. 986

No. 968 Floor Following Groover No. 971 12 Tooth Carbide Blade No. 972 Diamond Groover Blade

This tool tracks in the seamline to cut a trapezoidal groove for welding. It maintains consistent grooving depth even when floors are not level, up to 1/8" of variation over one foot of seamline. The floor following wheel rides on the floor to raise or lower the blade in response to variation. A spring-loaded floor following dust shroud improves dust control. Includes a 12 tooth 130mm carbide-tipped blade (No. 971), and carrying case. Diamond grit blade for metalimpregnated safety floors is available (No. 972). 110VAC 9A No load RPM 12,000. Max. groove depth 3.5mm.

Order No.	Description	Weight
968	Floor Following Power Groover	20½ lbs.
971	12 Tooth Carbide Blade	8 oz.
972	Diamond Groover Blade	1 lb. 1 oz.

No. 969 Heat Weld Gun No. 962 Round Welding Tip No. 963 Pencil-Tip Nozzle No. 979 Universal Welding Tip

This electronic gun features precise heat, and comes with a pencil-tip nozzle (No. 963), round tip (No. 962) and carrying case. The nozzle and tip are standard size to fit other common guns, and are sold separately. The No. 979 is a universal tip for Crain No. 960, 969 or No. 980 heat guns, and adjusts for welding 3mm or 5mm round threads.

oraer No.	Description	weight
969	Heat Weld Gun	6½ lbs.
962	Round Welding Tip	1 oz.
963	Pencil-Tip Nozzle	3 oz.
979	Universal Welding Tip	4 oz.
	and the second s	

No. 985 Quarter Moon Knife No. 986 Trim Guide

Used for trimming the excess vinyl weld thread flush to the floor's surface, after the weld has cooled. The knife's flexible top edge is razor-sharp. Pushed against the weld excess, this curved edge shaves the weld flush. This may be done in steps, first using the trim guide, and then making a final pass over the seam with the knife only.

Order No.	Description	Weight
985	Quarter Moon Knife	2 oz.
986	Trim Guide	1 oz.

No. 987 Pressure Roller

Used to roll the vinyl welding thread tightly into the groove in awkward areas, such as up coved walls. The handle is drilled through, so the welding thread passes through it

instead of the	weider tip for this usage.	
Order No.	Description	Weight
987	Pressure Roller	2 oz.

No. 988 Vinyl Welding Kit

Comes with No. 968 Floor Following Power Groover, No. 969 Heat Weld Gun (with No. 963 Pencil-Tip Nozzle and No. 962 Round Welding Tip), No. 340 Selvage Trimmer, No. 370 Scriber, No. 965 Skiving Knife, No. 955 Hand Groover, No. 189 Utility Knife, No. 349 Round Edge Seam Roller, cleaning brushes with stainless steel bristles, metal case, and instructions.

Order No. Description Weight Vinyl Welding Kit 35 lbs.

Other Vinyl Tools

No. 965 Skiving Knife

This knife for trimming heat weld rod flush at the seams has a sharp blade that's replaceable. Eliminates difficult resharpening of quarter moon knives. Cuts in two passes with the built-in trim guide. Take the first pass with the guide under the blade, then pivot out on the second pass. The flexible blade and trim guide won't gouge high spots.

Order No.	Description	Weight	
965	Skiving Knife w/Replaceable Blade	7 oz.	
966	Replacement Blade Only	1/4 oz.	
967	Replacement Blades (5) pack	1¼ oz.	

No. 955 Pull Hand Groover

A pull hand groover improves control and permits faster work. Adjustable fin tracks in the seam to control grooving depth. Useful for starter cuts for a power groover, in tight areas, or when floors aren't level. Comes with 3 blades.

Order No.	Description	Weight
955	Pull Hand Groover	6 oz.
956	Pull Hand Groover Blades (3)	½ oz.

No. 745 & 995 Deluxe Heat Guns

These flameless heat guns come in 750° or 1000° models. The high-speed fan blows hot air, while the adjustable intake shuttle adjusts temperature. A 3-way switch provides hot, cold, or off. Elements are easily replaceable. Both models come with an adjustable stand and carrying case.

No. Description Amps Max°F Weight Element Deluxe Heat Gun 14 750° 4.5 lbs. 1745-030 1000° 4.5 lbs. 1995-450 Deluxe Heat Gun 14 745K Multi-Purpose Case 4.0 lbs.

No. 751 Thriftline Heat Blo Gun

This economy gun heats material with temperatures adjustable from 300° to 1000°F. Features a 6' heat-resistant cord and a switch for hot or cold air. Stands upright to avoid burning the floor. The element is controlled by thermocouple for precise heat control.

Order No. Description Volts Watts Max°F Weight Thriftline Heat Gun 110 1200 1,000°F 2 lbs.

No. 730 Utility Knife

This classic knife features an easy-to-grasp thumb knob for quick opening without a screwdriver, and ample leverage for tightening securely. It is die cast of lightweight aluminum, with a knurled, anti-slip, brightly polished surface. The knife pivots open to store extra blades inside the knife body. Takes standard heavy-duty utility and hook blades. Weight Description Blades Order No. 295C, 996X 4 oz.

No. 128 & 129 Scriber Needles

These sharp, high carbon steel needles are for common scribers and dividers. Come packaged 50 per pack.

NO.	Size	For use in 1001
128	.058 X ⁹ / ₁₆ "	194 Outside Corner Scriber ONLY!
129	.063 X ⁷ / ₈ "	109 110 111 112 188 240 355 380 382

No. 109 Pin Vise

Features a hexagonal chuck that holds No. 129 needles. Perfect for scoring tile or linoleum pattern layouts. Description Order No. Weight

Pin Vise

Blades for Discontinued Crain Saws

No. 803 & 804 for use on discontinued Nos. 800 & 810 Super Saws. No. 803 is best used for wood that splinters. No. 804 is best for general undercutting. The No. 788 is for use with Crain No. 785 & 795 Toe-Kick Saws only.

Order No.	Description	Weight	Teeth
788	23/4" Toe-Kick Saw Blade	2 oz.	16
803	Combination Blade	10 oz.	100
804	Carbide Blade	10 oz.	40

FLEXIBLE BLADE AND TRIM GUIDE WON'T GOUGE HIGH SPOTS! No. 965 **BUILT-IN PIVOTING** TRIM **GUIDE** FIRST PASS SECOND PASS **GUIDE UNDER GUIDE PIVOTED**









Nos. 785 & 795

Saws ONLY:





No. 803 For Nos. 800 and 810 ONLY:

Vinyl Welding Tools

No. 985

No. 987

No. 988

NEW No. 566 Bullnose Adaptor for stairs No. 565

No. 565 18' Strap Clamp No. 566 Bullnose Adaptor

Clamps and holds plank flooring across widths up to 18 feet. Strap coils inside the housing, out of the way of the work. Long base works under toe spaces. Available Bullnose Adaptor clamps across stair treads.

Bullnose Adaptor Sold separately

Weight 2.2 lbs. 4 oz.

Description Order No. 18' Strap Clamp 565 566 **Bullnose Adaptor**

No. 564 Variable **Wall Spacer**

Improved with wider, heavier base and larger, ergonomic twist-knob that will accept an Allen wrench on the back side. Use to space planks from the wall or clamp and press the butt joints.

Order No.

Description Variable Wall Sp



Cuts plank flooring up to 3/4" thick, including a variety of solid hardwood, engineered wood, laminate, and LVP planks. Built-in wheels allow it to be easily moved from a kneeling position. The movable fence allows straight or 45° diagonal cuts at different areas under the 14" blade for extra blade life. Max. plank hardness: 1290 Janka scale. Max. plank width: 14". Max. diagonal cut: 9".

Order No.	Description	Weight
673	14" Wood Cutter	25.7 lbs
672	14" Wood Cutter Blade	0.38 lb.
674	13" Wood Cutter Blade	0.36 lb.

No. 679 9" Wood Cutter

No. 679

Cuts plank flooring up to 3/4" thick, including a variety of solid hardwood, engineered wood, laminate, and LVP planks. Features a movable fence to position the material on either side of the blade for more blade life. Max. plank hardness: 1290 Janka scale. Max. plank width: 9"

Order No. Description Weight 9" Wood Cutter 9" Wood Cutter Blade 0.25 lb.



Plank Floor Tools 🔷 CIRAI

No. 562 Plastic Spacers (10)

These spacers maintain a proper size gap even when the adjacent wall is undercut. The V-shape rests against the face of the plank to prevent the spacer from tipping. The two ends have different thicknesses, one at 3/16" and the other at 1/4", for various manufacturer's specifications.

Order No. Description Plastic Spacers

Weight 5.28 oz.

Crain Tapping Blocks

Made in two sizes from 3/4" thick solid plastic blocks. Both have relieved edges on a side and an end. Used to tap the side of the plank to fit the tongue and groove.

Description Order No. Weight Tapping Block 9 oz. 11¾" Tapping Block 1 lb.

No. 576 LVP Angle Tapping Block

Lifts the LVP plank to the angle where it can be tapped and locked tight. Large upper plastic block contacts just below the face of the plank, while a lower plastic contact plate slides to contact the core. Comes with three 1mm shims and two 3mm shims. Works on planks and tiles up to 10mm thick. Shims sold separately for thicker LVP/LVT. Order No.

Description Weight
LVP Angle Tapping Block
1mm Shim for LVP Block 1 lb. 13 oz. 577 1 oz. 578 3mm Shim for LVP Block 2 oz. Contact Plate for LVP Block 1 oz.

LVP TAPPING BLOCK



No. 562

7 inch

11¾ inch

No. 560

No. 560 "Knuckle Head" Pull Bar

This pull bar features a boxed "knuckle" hammering head that is welded to the body. The width has been increased to reduce body bending, and the length is increased for more working room at the wall.

Description Order No. Weight "Knuckle Head" Pull Bar 3.25 lb.

No. 285 LVP Scoring Knife

The 45° blade angle of this knife is optimal for scoring and breaking rigid core LVP/LVT. The wide beveled edge on the blades score the plank smoothly and reduce resistance. The elevated handle provides knuckle clearance. Extra blades are stored in the handle. Replacement blades: Crain No. 286C (100 pack) or No. 287 (10 pack).

Order No. Description Weight

LVP Scoring Knife 9.3 oz. 286C, 287

No. 288 Hook Handle LVP Scoring Knife

The 45° blade angle of this knife is optimal for scoring and breaking rigid core LVP and LVT. The wide beveled edge on the blades score the plank smoothly and reduce resistance. The elevated handle provides knuckle clearance. Reversible blade holder takes LVP/LVT scoring blades or standard utility/hook blades. Blades can be stored in the handle.

Order No. Description Weight Blades Hook Handle LVP Knife 5.8 oz. 286C, 287



BOXED & WELDED HAMMERING HEAD



SCORING BLADES: No. 286C (100) No. 287 (10)



SCORE LVP



CUT VINYL & LINOLEUM



Plank Floor Tools

No. 673

14 inch



Other Tools

No. 336 Undercut Saw & Blades

This saw has a trapezoid-shaped high-carbon replace-Description Weight Blade / Wt. Order No. Undercut Saw

No. 157 Crain Moulding Lifter

This steel pry bar is designed to get behind wood base and moldings and pry them off with a minimum of damage. Both the rocker and flat ends have slim, wide-profile prying surfaces that are polished smooth for safer insertion behind the base. Both ends have sharp, beveled nail slots with internal webbing for taking up small headed

Weight Description Order No. Crain Moulding Lifter

No. 159 Vaughan Superbar

Description

.135" Punch Die Set & Handle

.090" Punch Die Set & Handle

.050" Punch Die Set & Handle

Description

Deluxe Hacksaw Frame

Description

Description

Wood Miter

Description

Description

Aviation Snips

Replacement Blades (3)

Vinvl Miter

Carpet Laver's Miter Box

12" Blade, 32T (Card of 2)

11/2 lbs.

8 oz.

2 lbs.

8 oz.

2 lbs.

8 oz.

2 lbs.

2 lbs.

Weight

1 oz.

Weight

14 oz.

1 oz.

Weight

1 oz.

Weight

Metal Mitre Handle Only

.135" Punch Die Set Only

.090" Punch Die Set Only

.050" Punch Die Set Only

.156" Punch Vinyl Notcher

The Vaughan 15" Superbar is the classic heavy-duty pry ings and base when used as a molding lifter.

Description Weight Vaughan Superbar 24 oz.

No. 401 6-in-1 Screwdriver

This screwdriver includes #1 and #2 Phillips tips, 3/16" grip, and a heat-treated alloy steel socketed shaft. Order No. Description

6-in-1 Screwdriver 5 oz.

This tungsten carbide hole saw cuts clean 13/8" holes for pipe clearance. The replaceable 1/4" masonry bit holds a center. An internal spring ejects the piece cut out. Works

Order No. Description Weight Crain Ceramic Hole Saw 10 oz.

This 25 foot long 16 gauge 3 conductor grounded extension cord is constructed for use with power tools indoors or outdoors. Plug and receptacle are molded on the cord. Order No. Description
684 25 ft. Extension Cord Max. Amp. Weight

No. 353 Carbide Grout Saw

This hand saw is used for removing old or damaged grout. Comes with one carbide blade coated with carbide grit for cutting out grout between tiles, and one steel-toothed blade for heavy cleanout work after using the carbide blade. The steel-toothed blade can be used in combination with the carbide blade for wider grout joints or to protect walls when working up close to a wall. Minimum grout joint width: 1/8". Replacement blades: No. 353Y.

Order No. Description Weight Blade / Wt. 353 Grout Saw (w/2 blades) 4 oz. 353Y / 1/2 oz.

Makes cutting angles and curves easy.

Order No. Description Weight





able steel blade, with a 12" row of 10-point teeth on both sides. Perfect for undercutting door jambs and obstacles.

nails, brads, and staples often used on moldings.

bar. Features a fully rounded "shepherd's crook" rocker end for maximum prying power, and a flat end for getting under nails and scraping. Includes three beveled nail slots. Both ends are polished for insertion behind mold-

and 5/16" slotted tips, and 1/4" and 5/16" nutdrivers. Made with a high-impact plastic ribbed handle for sure Weight

No. 356 Carbide Hole Saw

well on ceramic and soft-bodied quarry tile.

No. 684 Extension Cord

No. 081 "GritEdge" Rod Saw Blades

Remington tungsten-carbide rod saw blades have a fine grit edge that is perfect for cutting ceramic and laminates.

Rod Saw Blade 0.5 oz.

Material Handling



No. 016

No. 017

No. 024

RECESSED TRAY BOTTOM VENTS HEAT AND STEAM

No. 124

No. 018

No. 280 Heavy-Duty Air Lifter

The Air Lifter speeds-up the job of moving appliances and reduces the risks of damaging new floors or back injuries. Slide the wide air plates under the load, turn on the 2 HP blower, and the load is lifted. The convenient lift control valve controls how high the load is lifted. You then can move the load effortlessly! Includes: 2 air plates, lift control valve, 3 hoses, T-Connector, carrying bag, 2 HP blower & shoulder strap, and four carpet adapter glides.

Amps Volts Description Order No. H.D. Air Lifter 7.5 120 30 lbs. Single Carrying Bag

No. 015 & 016 Vinyl Dollies

These dollies are great for in-store and job uses. Sturdily constructed, with double ball bearing, heavy-gauge rollers, cast aluminum frames, and non-marking rubber wheels. Accepts rolls to 16" diameter. Available in two sizes. Order No. Size Weight Order No. Size Weight 015 18" Dolly 13 lbs. 016 36" Dolly 21 lbs.

No. 017 Metal Skat Skates

These dollies have steel adjustment arms and load plates. Rotating urethane wheels turn very easily and won't scratch floors. Load pads have thick vinyl covers. Great for moving furniture and appliances!

Order No. Pad Size Closed Open Capacity Set Wt. 8" X 10" 24"

No. 018 Tile Dolly

This tile dolly has a rugged 11" x 16" deck, five heavy-duty casters, and an ergonomic handle. Rolls and turns easily with up to five boxes of tile or approx. 300 lbs. The solid plastic wheels are attached to hardened swivel bracketry. Capacity Weight Order No. **Deck Size**

No. 124 60" Carpet Cart

This cart has a full-sized 20" wide x 60" long bed providing support for long and heavy rolls up to 1000 lbs. The tubular steel frame is reinforced with central steel plates. Four eyelets are provided for tying down the load. The large diameter 16" pneumatic tubed tires are tall and wide enough to roll up curbs, steps, or across gravel

Description Capacity Order No. 60" Carpet Cart 1,000 lbs.

No. 354 Tool Pouch & No. 407 Square Tool Pouch

No. 354 - primarily a pocket pouch that can also hang on a belt. Knives wedge tightly inside. Made of durable leather.

No. 407 - wider and deeper for greater storage capacity. Hangs on belts. Constructed of durable leather. Order No. Description

Weight Pocket Tool Pouch 43/8" x 71/2" Square Leather Pouch 41/2" x 71/2"

No. 024 Rolling 24" Tool Box

This fully featured yet lightweight 24" toolbox is made from advanced "structural foam" materials. The thick walls are very durable but without all the weight. Rolls level with the floor thanks to a top mounted pull handle. The tray has a series of angled recesses which allow steam to escape, while also keeping even pressure on the seam.

Order No. Width Height

Crain Knee Pads

Comfort Knees Knee Pads

These knee-pads have protection for both kneeling and knee-kicking, so they stay on at all times. The extra-wide hook-and-loop straps won't pinch your legs, even when wearing shorts. All models are made from flexible yet durable neoprene. The black No. 199 has a thin bonded polyurethane skin on the kneeling surfaces for durability, and the brown No. 196 has extra thick polyurethane skin.

Order No.	Description	Weight
196	Heavy-Duty Comfort Knees	1 lb/set
197	Comfort Knees Knee Pads	1 lb/set
199	Polyurethane Skin Comfort Knees	1 lb/set

Kneeling and knee kicker protection:

Polyurethane Skin

WIDE STRAPS

DON'T PINCH



No. 200 Elastic Strap Knee Pads

Made of 1/2" thick sponge rubber with heavy-duty 11/2" wide elastic hook-and-loop straps that flex as you move.

Description Order No. Weight Elastic Strap Knee Pads 1 lb/set

No. 206 Leather Knee Pads

These heavy-duty leather pads are durably constructed to last and last. Lined with a thick felt pad that's riveted to the leather, they come with heavy-duty straps and buckles. Order No. Description Weight Leather Knee Pads 13/4 lbs./set

Troxell Knee Pads

Troxell knee pads are ultra-soft and have wide straps to reduce pinching. Nos. 250 and 251 have polyurethane protective covering while No. 252 has synthetic leather.

Order No	o. Description	Troxell No. \	Neight
250	Troxell Soft R Knee Pads	17-209SOFT	0.68
251	Troxell Soft L Knee Pads	17-209SOFTL	0.75
252	Troxell XL Leather Head Pads	17-209SOFTXI	L 1.00

No. 223 & 224 Solid Carbide Drill Bits No. 225 & 226 Adaptors

These solid carbide drill bits are available in 1/8" and 3/16" sizes with adaptors available to fit your 1700 to 3500 r.p.m. electric drill. Both have two usable tips

Order No.	Description	Weight
223	1/8" Solid Carbide Drill, Each	1 oz.
224	3/16" Solid Carbide Drill, Each	2 oz.
225	1/8" Hexagon Adaptor	2 oz.
226	3/16" Hexagon Adaptor	2 oz.

No. 455 Strip Saver Bag

This heavy-duty cloth bag slips over standard 4 ft. long strip boxes. It prevents bursting of boxes and looks professional on the job. Reinforced end panel, heavy-duty

zipper, and dou	uble-stitched handle for a lor	ng, useful life.
Order No.	Description	Weight
455	Strip Saver Bag	1 ¹ / ₂ lbs.



No. 197 Plain Neoprene



KNEE KICKER PROTECTION

No. 225

CRAIN

No. 455




No. 199

Polyurethane Skin

MORE DURABLE





No. 223

No. 224

SOLID

CARBIDE

DRILL BITS

No. 250





No. 252

Crain Knee Pads

@ CRAIN

No. 407

CRAIN

No. 354

CRAIN Trowels & Spreaders



	The state of the s	
1/16 1/16 	1/16 	1/32 1/16
1/16 1/8 1/8 1/8 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4	3/32 3/32 - 3/32 - 424	1/4 3/16 425
1/4	1/2 <u>1/2</u>	1/4 1/4 3/8 428
1/2 1/2 1/2 1 1/2 1 1/2 1	1/8 1/16 1/8 430	1/16 1/16
3/16 1/2 1/4 → → → → ↓ 432	1/8 1/16 1/8 → ← → ← ↓ 433	



Orain Professional Trowels are made with curved wooden handles and hardened spring steel blade. Nos. 420, 421, 422, 424, 480, 491 and 498 have an angled back front edge for clearance when spreading close to walls. Nos. 426, 425, 426, 427, 428, 429 and 492 have a square front edge. Nos. 422 and 428 only are available in left hand models - add "L" after the Order No. for left. The No. 484 4" x 14" Finishing Trowel (square corners), and No. 499 4" x 16" Rounded Corner Finishing Trowel (rounded corners) do not have notches for use in spreading patch.

				ı Pa			
Order N	od Open)	Flat		enth e	Shape	Weight
420	1/13	\mathbb{X}	1/13 ^{II}	\mathbb{X}	¹ // ₁₀ ^{III}	Square	1 II5.
421	1/13	$\overline{\mathbf{X}}$	1//30	\mathbf{X}	1// ₁₆ II	W	1 Ib.
422	1/ ₁₆ 11	X	¹ / ₃₂ ^{II}	X	1/ ₃₂ 11	U	1 lb.
423	1/ ₈ 11	X	¹ / ₁₆ ^{II}	X	1/ ₈ II	V	1 lb.
424	³ / ₃₂ II	X X X	³ / ₃₂ ^{II}	$\overline{\mathbf{X}}$	3/3211	V	1 lb.
425	1/411	X		Х	³ /16 ^{II}	V	1 lb.
426	1/411	X	1/411	X X X X X X X X X X X	1/411	Square	1 lb.
427	1/211	X		X	1/211	V	1 lb.
428 429	1/411	X	1/411	X	3/ ₈ II	Square	1 115.
429	1/211	X	1/211	X	1/211	Square	1 lb.
430	1/811	X X X X	¹ / ₁₆ ^{II}	X	1/8 ^{II}		1 lb.
431	1/ ₁₆ II	X	1/ ₁₆ II	X	¹ / ₁₆ ^{II}	V	1 lb.
432	³ / ₁₆ II	X	1/2		1/411	V	1 lb.
433	1/811	X	¹ / ₁₆ ^{II}	X	1/ ₈ II	V	1 lb.
434	4"x14"	Fini	shing	Tro	wel	工工工工	14 oz.
439						nish Twl.	15 oz.
the latest three ways	CARL ST ST CO.	APP-LONG	40 G W	et the	AND REAL PROPERTY.	and the second	

The Nos. 038 and 039 spreaders have polished spring steel blades and black plastic handles. The Nos. 040 and 041

1/8

Notch pattern: Nos. 038 / 039

spreaders have stainless blades and wood handles. have V-shaped notches 1/8 by 1/8" deep for spreadin

plastic	25.1	である。
nd 041 s steel	1/8 → ←	Notch pattern: Nos. 038 / 039 Nos. 040 / 041
. Both ₃" wide	4	

rder No.	Description	Notch	Weight
038	3" Economy Spreader	1/8 ^{II} X 1/8 ^{II}	3 oz.
039	4" Economy Spreader	1/8 ^{II} X 1/8 ^{II}	3 oz.
040	3" Notched Spreader	1/8 ^{II} X 1/8 ^{II}	2 oz.
041	4" Notched Spreader	1/8 X 1/8 II	2 oz.

No. 203 is a heavy-duty, trigger-fed, glue gun with 80 watts of heating power, complete with an 1/8" extension nozzle. Users are cautioned to avoid contact with hot melted glue as it can cause severe burns, and to

at of the leading of children	Second Co.	The second second
No. Description	Watts	Weight
Glue Gun	80	10 oz.
		1 lb.
4" Glue Sticks - 24 Stick Pk	6	8 oz.
1/4" Nozzle	* F = 10 = 10 X	1 oz.
1/8" Nozzle	1.000*	1 oz.
	No. Description Glue Gun 10" Glue Sticks - 19 Stick Pl 4" Glue Sticks - 24 Stick Pk 1/4" Nozzle	No. Description Watts Glue Gun 80 10" Glue Sticks - 19 Stick Pk 4" Glue Sticks - 24 Stick Pk 1/4" Nozzle

Cove Base Tools

No. 235 6º Disposable Cove Nozzle No. 236 3" Disposable Cove Nozzla

These low-priced throw-away cove base norzies evenly spread adhesive. They attach quickly onto the plastic tip of cartridg-es. No. 285 lays down 5 beads for 6" base. No. 286 lays down 6 beads for 6" base. Both fit most popular cartridge guns.



	Seminari Seminari	Control of the Contro	3LJN-Renem
ler No. 265 266	# Dj	Description spossble Cove Nozzle spossble Cove Nozzle	Weft 1 @ 1 @

Primarily used for applying cove base adhesive, they are designed for the job. They feature all-steel construction, and a smooth rod push mechanism.

			weight
237	Cove Base Glue Gun	1 ot.	2.5 lbs.
238	Cove Base Glue Gun	1/10 gal-	1 lb.
			النقلات



This tool for gouging out the back of rubber or vinyl base for tightly-wrapped corners comes with a double-tipped blade. The V-tip makes a sharp V-shaped groove that conforms better to tightly formed sheet-rock corners. The U-Tip makes a wider U-shaped groove for fuller corners, or for tougher base where a wider groove must be made.

Order No.	Description	Weight
530	Rubber Base Gouge	5 oz.
531	Gouge Replacement Blade	1 oz.

This tool gouges the back of vinyl or rubber cove base to produce tight-wrapped corners. The $^5/_{32}$ " wide blade adjusts for depth and can be sharpened. Order No. Description Weight Topset Gouge Replacement Blade

1 oz.

Cuts carpet tiles, vinyl tiles, LVT planks, and rubber tiles 24" straight or 18" on a diagonal. Handles materials up to ¾" thick per cut. Built-in wheels allow it to be moved easily from a kneeling position. The movable fence and tile guide can be set for repetitive straight or diagonal cuts.

Order No.	Description	Weight
675	24" Carpet Tile Cutter	38 lbs.
676	Carpet Tile Cutter Blade	0.7 lb.






TOOL NO. BLADE NO.	005 012 013 026A		070 295C 996X 997	174 1174-A	175 177	189 295C 996X 997	217 306c 308c 309c	245 184 184C	246 184184C	247 306C 308C 309C 996X 997	265 295 996 3	285 286C, 287	288 286C, 287, 295C, 341, 342, 996X, 99	290 295C 306C 308C 309C	297 300Y	298 299Y	300 300Y 306C 308C 309C	301 306c 308c	302 306c 308c 309c	303 30ec 308c 309c	304 295C 300Y 308C	305 30 6c	320 321	340 341 342	350 351 3510	360 351 3510	375 376 377	375S 376 377	390 391	450 451	523 523Y	725 306c 308c 309c	726 306c 308c 309c	727 295C 996X 997	728 295C 996X 997
TRIMMER	184C UNIVERSAL TRIMMER BLADE	L 2.18	W .75	T .017	. i		LOOP PILE CUTTER	300Y LOOP PILE	L 2.31	300 W .75	- 0.023 PK 10	WT 2 oz.		ш.	353Y GROUT SAW	L 2:00	353. W 750	032 PK 2		0 0	>	881 REPLACEMENT BI ADES	L 2.4	W .75	PK 3										LEX UNDERCUT SAW
	184 UNIVERSAL TRIMMER BI ADE	L 2.18	184 W .75	T :017	. !			299Y TOP CUTTER	L 3.0	W .745	T .025			R BLADES	STRIPPER BLADES		W .560	- 020 - 020 - 020 - 020 - 020		•	ä	687 REPLACEMENT	L 5.00	* CRAIN W .375	-3/5 PK 1	WT 2 oz.									REPL. BLADE FOR No. 338 FLEX UNDERCUT SAW
TUCK KNIFE	177 TUCK KNIFE REPLIENTED	L 4.00	W 2.21	T .065	WT 1 0z.	SOLD BY EACH BLADE	UTILITY BLADES	295C HEAVY DUTY	L 2.40	W .75	T .025	WT 15 oz.			351 FLOOR STRIPPER		W .560	020 - Ad		•		523Y 23" SEAMMATE	L 23.27	W .560	DZ0 NZ0										RE
	026A AIRWAY HOOK	L 2.110	W .510	T .025	WT 1 oz.		_	287 PERSONNA	L 1.625	W .750	PK 1025	. '		Ž	321 VINYL WALL TRIMMER BI ADES	L 2.34	321 W .500	025 PK 3			2	451 STRIP CUTTER	ا ا	451 W .48	PK 12	WT 1 oz.		REPAIL	11/4-A INSTANT REPAIR BLADES		W .500	11744020 PK 4	WT .2 oz.		TILE CUTTERS
	025A AIRWAY	L 2.125	W .495	T .025				286C PERSONNA		W .750	PK 1005				309C H.D. SQUARE FDGF BI ADES	L 2.25	W .75	017 PK 100				391 5" SCRAPER BIADES	L 5.00	W .750	PK 10		ML)		997 PERSONNA DEEP HOOK	L 2.0	W .750 T	PK 10	WT 2 oz.		REPLACEMENT WHEELS FOR CRAIN CERAMIC TILE CUTTEF
	013 WARD HEAVY	L 2.68	W .736	T .025			DELUXE SCRAPER	231 DELUXE SCRAPER 232 DELUXE SCRAPER RIADES	L 7.50	≥ 1	T .091	\₹	SOLD BY EACH BLADE	SLOT	308C H.D. ROUND FDGF BLADES	L 2.25	W .75	- OT			A .	311 BIG SCRAPER BI ADES	L 8.00	W .750	PK 9	WT 9 oz.		HOOK	996X HOOK BLADE	L 2.0	996x W .735	PK 15	J		REPLACEMENT WHEE
	012 WARD STANDARD	L 2.35	W .480	T .025			DELUXE	231 DELUXE SCRAPER BIADES	L 7.50	W 2.00	T .090	M	SOLD BY EACH BLADE	SLOTTED - MEDIUM	306C SLOTTED RAZOR RI ADES	L 2.25	. 75 W .75	- 015 PK 100				3/6 BIG SCRAPER BI ADES	L 8.00	W .750	PK 3			ND	GROOVER REPLIEDS	L 0.856	956 W .594	PK 3			

Floor Covering Tools Catalog - Table of Contents

Ε



No. 339 Flex Undercus Constitution

Double row of fine induction
hardened teeth. Weight: 41/2 oz.

Adhesive Syringe20	Extension Cords28	Ne
Aluminum Drives13	F	
Appliance Movers: Air Lifter29	Floor Scrapers, Hand18	
Awls, Carpet12	Floor Stripper, Power17	No
В		,
Base, Cove Base Tools32	G	
Blades:	Glue:	Pir
Airway22	Acrylic Hot Melt Sticks13	Pla
Diamond1, 2, 23	Hot Melt Gun & Stick9, 13, 31	Po
Discontinued Saws24	Spreaders31	Po
Knife15, 16, 22, 24, 26, 33	Goggles, Safety14	Po
Razor Blades, Replaceable33	Gouge, Cove Base32	Po
Saws1, 2, 23, 24	Groovers, Vinyl23, 24	Pu
Scraper18, 33	Grout Saw & Blades28	ı u
Seammate33	н	
Stripper Machine17	Hacksaw & Blades27	Re
Trimmer11, 21, 33	Half Hatchet13	Re
Usage Table33	Hammers & Mallets12, 13	Re
Vinyl Groover23, 24	Hardwood Tools25, 26	
Ward22	Heat Bond Irons & Kits10	
Other (Look Under Tool)	Heat Guns24	
Blocks: Tapping26	Heat Weld Gun23	_ '
Bottles:	Hole Saw, Ceramic28	Ro
Carpet Seam Sealer11	Hot Air Guns24	Ro
Brushes18	Hot Melt Glue Guns9, 13, 31	
C	Trot more dide dano immino, 10, 01	
	.	_
Carpet:	Inside Corner Saw1, 2	Ro
Awls12	Inside Cove Corner Kit21	Ru
Cart29	Irons, Carpet Seaming10	
Claw, Pulling18	J	Sa
Edge Sealing9, 11	Jamb Saws:	Sa
Knives15, 16	Hand Undercut Saw28	Sa
Seam Rollers10	Power Undercut Saws1, 2	
Seaming Irons10	, , , , , , , , , , , , , , , , , , ,	
Stretchers3, 4, 5	Κ	
Tile Cutter32 Tractor10	Kit, Carpet Installers12	
	Kit, Vinyl Welding23	
Trimmers11 Tuckers12	Knee Kickers6	
Ceramic Grout Saw28	Knee Pads30	Sc
Ceramic Hole Saw28	Knives:	Sc
Chalk Line Reels & Chalk12	Airway22	Sc
Clamps, Plank25, 26	Carpet15, 16	Sc
Combination Straight Edges8	Dexter22	Se
Cookie Cutter16	LVP/LVT Scoring26	
Corners:	Pad15	
Metal for Coves (TrimLine)19	Utility16, 22, 24, 26	Se
Cove, Inside Corner Kit21	Vinyl22	
Cove Base Gun & Nozzles32	Ward22	
Cutters:	L	
Carpet Seaming7	Laminate:	
Carpet Tile32	Flooring Tools25, 26	
Vinyl Tile19	LVP/LVT Tools25, 26	
Wood25	Linoleum:	Sh
Cutting Wheels, Tile33	Dollies29	Sh
_	Knives22	Sk
D	Rollers20	Sn
Dividers19	М	Sp
Dollies:	•••	Sp
Skat Skate29	Magnetic Driving Bar13	Sp
Tile Dolly29	Magnetic Tack Holder13	Sta
Vinyl Dolly29	Mallets, Rubber12	Sta
Door Pin Tools13	Metal Miter Tools	Sta
Drill Bits, Solid Carbide30	Mini Carpet Stretcher5	Sta
Drives, Aluminum13	Miter Box27	Sta
Driving Bar13	Miter, Wood27	Stı
Dust Pan & Duster18	Mitering Tools27	Stı
	Moulding Lifter28	

Multi-Undercut Saw2	
N	
Needles:	
Carpet Sewing12 Scriber24	
Notcher:	;
Vinyl27	;
Р	
Pin Vise24	,
Plastic Laminate Roller20 Pouches, Leather Tool29	;
Power Groover, Vinyl23	,
Power Stretchers3, 4, 5	
Power Stripper17	
Pull Bar, Laminate & Hardwood 26	
R	٠
Repair Tools, Carpet	٠
Replacement Razor Blades33 Resilient:	
Knives22	
Rollers20	
Scribers21	•
Trimmers, Selvage & Wall21	
Rod Saws28 Rollers:	
Carpet Seaming10	
Linoleum (Vinyl, Resilient)20	
Plastic Laminate20	٠
Row Separator9	٠
Rubber Mallet12	
S	
Safety Glasses14 Safety Floor, Diamond Blade23	٠
Saws:	٠
Discontinued Saw Blades24	
Inside Corner1, 2	
Jamb1, 2, 28	
Rod28 Toe-Kick2	
Undercut1, 2, 28	
Scoring Knife, LVP26	
Scrapers, Floor18	,
Screwdriver, 6-in-128 Scribers & Needles21, 24	
Sealer	
Carpet Seam Edge9, 11	
Hot Melt9	
Seaming, Carpet:	
Cutters7 Edge Sealer Bottle11	١
Irons10	١
Repair Stretcher5	
Rollers, Carpet Seam10	
Squeezer9	
Sharpening Stones	
Skiving Knives, Vinyl23, 24	
Snips27	
Spacers, Laminate Floor25, 26	
Spreader, Adhesive	
Stair Claw14	
Stair Tools12	
Staple Remover14	
Staple Saver Boxes14	
Staplers & Staples14	
Straight Edges & Squares8 Stretchers:	
Accessories4, 5	



2	Cases4
	Power Stretchers3, 4, 5
	Seam Repair5
2	Stairway5
2	Stretcher Tubes 4
4	Strip Cutter, Tackless13
_	Strip Glue Guns32
7	Strip Saver Bag30
	Strippers, Floor, Hand18
4	
0	Strippers, Machine17
9	Superbar28
3	Syringe, Adhesive20
5	Т
7	Tack Strip
6	Tools13
0	Hot Melt13
	Tacker, Electric14
6	Tapping Blocks26
3	Thread & Thimbles12
	Tile Cutters:
2	Carpet32
0	Resilient/Vinyl19
1	Tile. Ceramic:
1	Tools28
8	
.0	Repl. Wheels for Cutters33
0	Toe-Kick Saw Blades2, 24
0	Tool Boxes29
0	Tool Kit, Carpet12
9	Tool Kit, Vinyl Welding23
9 2	Tool Pouches29
2	Topset Base Tools32
	Trim Line Vinyl Corners19
4	Trimmers, Carpet7, 11
3	Trimmers, Vinyl11, 21
	Trowels31
4	Tubes, Stretcher4
2	Tuck Knife16
8	Turning Tool12
8	U
2	Undercut Saws1, 2, 24, 28
8	Utility Knives16, 22, 24, 26
6	-
8	V - Z
8	Vinyl:
4	Knives22
-	Miter27
1	Rollers20
-	Tile Cutters19
9	Trimmers, Selvage & Wall .11, 21
7	Welding Tools23, 24
7	Wood Cutter25
1	Wood Miter27
0	"Z" Bar Trimmer7
5	
0	

CRAIN NEW FOR 2025

No. 673 14" WOOD CUTTER





Now cuts up to 9" width of plank on a diagonal. Table light illuminates cut marks in dark rooms. Durable table design.



No. 246 CARPET TRIMMER



New more compact design improves your control over the length of trim. Tool is lighter, cuts smoothly, and changing blades is fast.



